

IIRCO TMTM

tetramethyl thiuram monosulphide

TS

Product's Specification:

INDEX NAME		INDEX VALUE		
PHYSICAL PERFORMANCE	Appearance	Yellow granule	Yellow oil powder	Yellow powder
	Melting point, °C, ≥	105.0	105.0	105.0
CHEMICAL PERFORMANCE	Loss on Drying, %, ≤	0.30	0.50	0.30
	Residues on 150 µm Sieve, ≤	/	0.10	0.10
	Residues on 63 µm Sieve, ≤	/	0.50	0.50
	Additive, %	/	0.1-2.0	/
	Ash content, %, ≤	0.30	0.30	0.30
	Granule diameter, mm	1.0-3.0	/	/

Properties: The yellow oil powder (powder-granule). The density is 1.37-1.40. No osmyl and no taste. Soluble in benzene, acetone, CH₂Cl₂, CS₂, toluene, partly soluble in alcohol and diethyl ether, insoluble in gasoline and water. Stabilization for storage.

Applications: Generally used as a secondary accelerator or as a booster for sulphenamides to achieve faster cure rate. Distinguished by very good processing safety in comparison with other thiurams, high curing activity and discoloration. No cure activity in the absence of added elemental sulphur. An excellent accelerator for polychloroprene in association with IIRCO DPG and Sulphur. Its critical temperature is 121°C.

Package: 25kg plastic woven bag, paper with plastic film bag, Kraft paper bag.

Storage: The product should be stored in the dry and cooling place with good ventilation, avoiding exposure of the packaged product to direct sunlight. The validity is 2 years.

IIRCO.

بازرگانی هاشمی

Tel: 021-22670733

تلفن: ۰۲۱-۲۲۶۷۰۷۳۳

021-22670832

۰۲۱-۲۲۶۷۰۸۳۲

Fax: 021-22209247

فاکس: ۰۲۱-۲۲۲۰۹۲۴۷

Email: IIRCO.TRADING@YAHOO.COM

IIRCO.TRADING@YAHOO.COM ایمیل: